



**AgraQuest, Inc.**  
 1540 Drew Avenue  
 Davis, CA 95618  
 Tel. 530.750.0150  
 Fax.530.750-0153  
[www.agraquest.com](http://www.agraquest.com)

*Innovative natural product solutions for pest management*

## Serenade<sup>®</sup> MAX

EPA Reg. No. 69592-11

### SUPPLEMENTAL LABEL

For Use on Berries and Oil Seed Crops (Includes uses not previously printed on the container label)  
 The recommendations on this supplemental label are not registered for use in California.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your state or tribe, consult the state or tribal agency responsible for pesticide regulation.

Crop	Disease	Rate Lbs./A	Application Instructions
<b>Berries</b>  Blueberries Blackberry Raspberry Loganberry Huckleberry Gooseberry Elderberry Cranberry Currant Caneberry and other berry crops	Anthracnose Fruit Rot <i>Colletotrichum            gloeosporioides</i>  Alternaria Fruit Rot <i>Alternaria            tenuissima</i>	1 - 3	Begin applications at the first sign of disease, or when conditions become conducive for disease development. Repeat as necessary on 7- to 10-day intervals.
<b>Oil Seed Crops</b>  Canola Castor Coconut Cotton Flax Oil Palm Olive Peanut Rapeseed Safflower Sesame Sunflower Soybeans and other oilseed crops	White Mold (Sclerotinia Stem Rot) <i>Sclerotinia            sclerotiorum</i>	1 - 3	For suppression, begin applications at the first sign of disease, or when conditions become conducive for disease development. Repeat as necessary on 7- to 10-day intervals.

See label attached to the container for First Aid, Precautionary Statements, Restrictions and Directions for Use.

This labeling must be in the possession of the user at the time of pesticide application.

Serenade® is a registered trademark of AgraQuest, Inc.  
© Copyright AgraQuest, Inc. 2008.



022108

