



AgraQuest, Inc.
 1540 Drew Avenue
 Davis, CA 95618
 Tel. 530-750-0150
 Fax.530-750-0153
www.agraquest.com

Innovative natural product solutions for pest management

Serenade[®] MAX

EPA Reg. No. 69592-11

SUPPLEMENTAL LABEL

For Use on Cereal Grains (Includes uses not previously printed on the container label).
 The recommendations on this supplemental label are not registered for use in California.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your state or tribe, consult the state or tribal agency responsible for pesticide regulation.

Crop	Disease	Rate lbs/A	Application Instructions
Cereal Grains Barley Corn Millets Oat Rice Rye Sorghum Triticale Wheat Silage Crops and other cereal grain crops	Powdery Mildew <i>Erysiphe graminis</i> Rust <i>Puccinia</i> spp. Sheath Spot <i>Rhizoctonia oryzae</i> Sheath Blight <i>Thanatephorus</i> <i>Cucumeris</i> (Anamorph: <i>Rhizoctonia solani</i>) <i>Thanatephorus kernel</i> Bacterial Blight and Streak <i>Xanthomonas</i> spp. Brown Rot, Leaf Spots and Smuts <i>Cercospora</i> spp. <i>Entyloma</i> spp. <i>Dreschlera</i> spp. <i>Cochliobolus</i> spp. <i>Ceratobasidium</i> spp.	1– 3	Begin applications when environmental conditions and plant stage are conducive to disease development. Repeat on 7 to 10 day intervals or as needed. Use higher rates and shorter application intervals under heavy disease pressure.

See label attached to the container for First Aid, Precautionary Statements, Restrictions and Directions for Use.

This labeling must be in the possession of the user at the time of pesticide application.

Serenade® is a registered trademark of AgraQuest, Inc.
© Copyright AgraQuest, Inc. 2008.



041108

